

# Carbon Black.

## Carbon Black Response 5.2.12 Linux Sensor Release Notes

September 2017

**Carbon Black, Inc.**

1100 Winter Street, Waltham, MA 02451 USA

Tel: 617.393.7400 Fax: 617.393.7499

E-mail: [support@carbonblack.com](mailto:support@carbonblack.com)

Web: <http://www.carbonblack.com>

*Copyright © 2011–2017 Carbon Black, Inc. All rights reserved. This product may be covered under one or more patents pending. Carbon Black Response is a registered trademark of Carbon Black, Inc. in the United States and other countries. Any other trademarks and product names used herein may be the trademarks of their respective owners.*

## Introduction

The *Carbon Black (Cb) Response 5.2.12 Linux Sensor Release Notes* document provides information for users upgrading from previous versions as well as users new to the product. It consists of the following major sections:

- **Corrective content:** This section describes issues resolved by this release as well as more general improvements in performance or behavior.
- **Known issues and limitations:** This section describes known issues or anomalies in this version that you should be aware of.
- **Contacting Carbon Black support:** This section describes ways to contact Carbon Black Technical Support, and it details what information to have ready so that the technical support team can troubleshoot your problem.

This document is a supplement to the main Cb Response product documentation.

## Purpose of this release

Cb Response v5.2.12 Linux Sensor release contains *support for RHEL 7.4, a new explicit filter on binary file uploads, additional bug fixes and performance improvements.*

## Documentation

The standard user documentation for Cb Response product includes:

- **Cb Response User Guide:** Describes Cb Response feature functionality in detail, plus administrative functions, including installing the Cb Response server and sensors.
- **Cb Response - Server Sizing Guide:** Provides details on infrastructure sizing for Cb Response server.
- **Cb Response API:** Documentation for the Cb Response API is located at <https://github.com/carbonblack/cbapi>.

Additional documentation for special tasks and situations is available on the [Carbon Black User eXchange](#).

## Sensor Operating Systems

- **Windows:** XP SP3 - 10 / Server 2003 - 2012R2 and 2016 both x86 and x64
  - Windows embedded OSes are individually evaluated
- **Mac:** OS X 10.7 through 10.12.6, x64 on Intel

- **Linux:** RHEL & CentOS 6.4-6.8, 7.0-7.4 x64 – standard kernel versions (2.6.32-358.el6, 2.6.32-431.el6, 2.6.32-504.el6, 2.6.32-573.el6, 2.6.32-642.el6, and 3.10.0-123.el7, 3.10.0-229.el7, 3.10.0-327.el7, 3.10.0-493.el7, 3.10.0-514.el7) and the standard minor/maintenance releases. Non RHEL/CentOS distributions or Modified RHEL/CentOS environments (those built on the RHEL platform) are not supported.

## Technical support

Cb Response server and sensor update releases are covered under the Customer Maintenance Agreement. Carbon Black recommends reviewing content on the User eXchange prior to performing the upgrade for the latest information that supplements the information contained in this document. Technical Support is available to assist with any issues that may develop during the upgrade process. Our Professional Services organization is available to assist with the upgrade process to ensure a smooth and efficient upgrade installation.

## Corrective Content

The following section provides the corrective content changes made in this release.

### **Linux Sensor (5.2.12.170825.1225)**

1. [NEW] Added support for RHEL 7.4 (CB-14245)
2. [NEW] Added explicit binary check on files sent to Cb Response Server (CB-15281)
3. Added vfork syscall hook to enable more reliable collection of fork events (CB-14786)
4. Fixed issue that could lead to dereferencing a NULL pointer (CB-14878)
5. Users can now turn off cb user event exclusions locally. This allows for collection of events generated by the cb user on a Cb Response Server (CB-14686)
6. Fixed an issue which caused the Linux sensor not to respect the site throttle setting appropriately (CB-13963)
7. Fixed daemon crash resulting from an infinite loop condition on process exit (CB-11419)

## Known Issues and Limitations

None.

## Contacting Carbon Black Support

For your convenience, Carbon Black Technical Support offers several channels for resolving support questions:

| Technical Support Contact Options  |
|--|
| Web: <a href="http://www.carbonblack.com">www.carbonblack.com</a>            |
| E-mail: <a href="mailto:support@carbonblack.com">support@carbonblack.com</a> |
| Phone: 877.248.9098 (877. <b>BIT9</b> .098)                                  |
| Fax: 617.393.7499  |
| Hours: 8 a.m. to 8 p.m. EST  |

## Reporting Problems

When you call or e-mail Carbon Black Technical Support, please provide the following information to the support representative:

| Required Information          | Description  |
|-------------------------------|--|
| <b>Contact</b>                | Your name, company name, telephone number, and e-mail address  |
| <b>Product version</b>        | Product name (Cb Response server and sensor version)   |
| <b>Hardware configuration</b> | Hardware configuration of the Cb Response server (processor, memory, and RAM)  |
| <b>Document version</b>       | For documentation issues, specify the version of the manual you are using. The date and version of the document appear after the copyright section of each manual. |

|                         |   |
|-------------------------|---|
| <b>Problem</b>          | Action causing the problem, error message returned, and event log output (as appropriate) |
| <b>Problem severity</b> | Critical, serious, minor, or enhancement  |